



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
		B/O	-1	2	GAUGE PIN	STEEL	Ø.0450 X 1 ARONSON-CAMPBELL #1955247	1
		B/O	-3	2	GAUGE PIN	STEEL	Ø.1440 X 1 ARONSON-CAMPBELL #1955258	1
		B/O	-5	2	GAUGE PIN	STEEL	Ø.1600 X 1 ARONSON-CAMPBELL #1955259	1
		B/O	-7	2	GAUGE PIN	STEEL	Ø.1680 X 1 ARONSON-CAMPBELL #1956089	1
		B/O	-9	2	GAUGE PIN	STEEL	Ø.1728 X 1 ARONSON-CAMPBELL #19552260	1
		B/O	-11	2	GAUGE PIN	STEEL	Ø.1920 X 1 ARONSON-CAMPBELL #19552261	1
		B/O	-13	2	GAUGE PIN	STEEL	Ø.2065 X 1 ARONSON-CAMPBELL #1994444	1
		B/O	-15	2	GAUGE PIN	STEEL	Ø.2400 X 1 ARONSON-CAMPBELL #1956091	1
		B/O	-17	2	GAUGE PIN	STEEL	Ø.2880 X 1 ARONSON-CAMPBELL #1956092	1
		B/O	-19	2	GAUGE PIN	STEEL	Ø.3000 X 1 ARONSON-CAMPBELL #1956093	1
		B/O	-21	10	VIALS, WITH LIDS	CLEAR STYRENE	Ø5/8 ID X 1-5/8 L.A. CONTAINER #071600	1
		B/O	-23	1	LABELS	PAPER	2.50 X 6.50	2
		B/O	-25	1	BOTTOM FOAM CUSHION	Y-20 BLACK	1.40 X 4.19 X 8.19 IR SPECIALTY FOAM	3
		B/O	-27	1	TOP FOAM CUSHION	C200 EGGSHELL, BLACK	.83 X 4.56 X 8.56 IR SPECIALTY FOAM	4
		B/O	-29	1	CASE	PLASTIC	PELICAN #APP-1060-E	NS



 <b>RED BARN MACHINE</b>	
<b>SPLINE MEASURING KIT ASSY</b>	
TITLE	
DWG NO. <b>RB KIT A</b>	
REV	
MAT'L	
DRAWN BY: <b>GILBERT</b>	
APPROVED <i>D Weil</i>	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	
DATE 9/19/2013	
SHEET 1 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




(-23)  
LABELS

 <b>RED BARN MACHINE</b>	
<b>TITLE</b> SPLINE MEASURING KIT ASSY.	
<b>DWG NO.</b> RB KIT A-23	<b>REV</b>
<b>MAT'L</b> PAPER	<b>DRAWN BY:</b> GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005      FRACTIONS ± 1/32 .XX ± .01      ANGLES ± 5° .X ± .1	<b>APPROVED</b>  <b>HEAT TREAT</b> <b>FINISH</b> <b>SPEC</b>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>USED ON MODEL</b> BELL 47
<b>SCALE</b> 1:1	<b>DATE</b> 9/23/2013
SHEET 2 OF 4	



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION			DATE




(-25)

BOTTOM FOAM CUSHION

 <b>RED BARN MACHINE</b>	
<b>TITLE</b> SPLINE MEASURING KIT ASSY.	
<b>DWG NO.</b> RB KIT A-25	<b>REV</b> 1
<b>MAT'L</b> Y-20 BLACK	<b>DRAWN BY:</b> GILBERT
<b>UNLESS OTHERWISE SPECIFIED</b> <b>DIMENSIONS ARE IN INCHES</b> .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	<b>APPROVED</b>  <b>HEAT TREAT</b> <b>FINISH</b> <b>SPEC</b>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>USED ON MODEL</b> BELL 47
<b>SCALE</b> 1:2	<b>DATE</b> 9/24/2013
SHEET 3 OF 4	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



-27

TOP FOAM CUSHION

 <b>RED BARN MACHINE</b>	
TITLE <b>SPLINE MEASURING KIT ASSY.</b>	
DWG NO. <b>RB KIT A-27</b>	REV
MAT'L C200 EGGSHELL, BLACK	DRAWN BY: <b>GILBERT</b>
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>BELL 47</b>
SCALE 1:2	DATE 9/24/2013
SHEET 4 OF 4	